

Under the Paperwork Reduction Act of 1995 no Persons are required to respond to a collection of information unless it contains a valid OMR control number

Substitute for form 1449B/PTO				<i>Complete if Known</i> Application Number 10/678,490 Filing Date October 3, 2003 First Named Inventor Derek LYDIATE Art Unit 1638 Examiner Name Li ZHENG Attorney Docket Number 11089.0003.NPUS01	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(Use as many sheets as necessary)</i>					
Sheet	1	of	1		

[illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO

(The collection of information is required by 35 U.S.C. 122. The information is required to obtain or retain a benefit by the person who is the (and/or the person to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including

gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the

amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and

Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

